



STYCCOCLEAN C141

General Purpose Cleaner

PRODUCT DATA

INTRODUCTION

STYCCOCLEAN C141 is a general purpose cleaner for removing contaminants such as grease, oil, etc. from the back of floorcoverings and accessories prior to installation. It also assists in the removal of some adhesives from the surface of carpets and floorcoverings.

STYCCOCLEAN C141 can be used on most types of carpets and floorcoverings, covings and nosings etc made of linoleum, rubber, vinyl and metal. It can also be used for cleaning tools after use.

APPLICATION

Cleaning floorcoverings and accessories

Dampen a cloth with the cleaner and then rub the area to be cleaned until all the contamination has been removed. Take care not to use too much cleaner on rubber, linoleum, vinyl floorcoverings or accessories as this may cause damage. When cleaning the back of floorcoverings or accessories, allow all traces of the cleaner to evaporate before commencing installation, alternatively wipe dry to remove all the cleaner residues.

Removing adhesive from carpet

Apply the cleaner gently with a cloth until the adhesive has been softened then remove the adhesive using a small stiff bristle brush. Take care not to rub softened adhesive residues further into the carpet pile.

PRECAUTIONS

The cleaner may damage floorcoverings if left in contact too long. Test before use to ensure that the cleaner does not damage the material or affect the colour stability. May affect some plastics, check for suitability prior to use. Do not use on asphalt, tarmac or other materials which may be sensitive to this cleaner. Do not allow the cleaner to penetrate the joints between floor tiles. Do not apply onto a hot surface or any incandescent material.

TOOLS

Clean absorbent white cloth. Small stiff bristle brush.

STORAGE

Store between 5°C and 30°C.
Protect from frost.

SHELF LIFE

12 months in unopened containers stored under good conditions.

PACKAGES

500ml tin

TECHNICAL INFORMATION

Colour	Colourless
Consistency	Liquid

FEATURES

- General purpose cleaner for removing grease, oil and other contaminants from the back of floorcoverings.
- Assists in the removal of some adhesives from the surface of carpets and floorcoverings.
- Ideal for cleaning covings and nosings prior to installation.

HEALTH AND SAFETY ADVICE

This product is not classified under the Chemicals (Hazard Information and Packaging for Supply) Regulations. Obtain the relevant Material Safety Data Sheets and follow the advice given. These can be found at www.f-ball.co.uk alternatively, these can be requested from the point of purchase or from F. Ball and Co. Ltd. at the address below.

Site conditions vary, to ensure this product is suitable and to confirm this data sheet is current please contact our Technical Services Department.

For further information about F. Ball products or more detailed technical assistance, please contact:

F. Ball and Co. Ltd.
Churnetside Business Park
Station Road, Cheddleton, Leek
Staffordshire ST13 7RS
United Kingdom

Tel: +44 (0) 1538 361633
Fax: +44 (0) 1538 361622
Tech Services Fax: +44 (0) 1538 361567
Email: mail@f-ball.co.uk
www.f-ball.co.uk



SAFETY DATA SHEET STYCCOCLEAN C141

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME STYCCOCLEAN C141
INTERNAL ID SCC141GPC/4
APPLICATION Cleaning solvent
SUPPLIER F.Ball and Co.Ltd.,
 Churnetside Business Park,
 Station Road.,
 Cheddleton,
 Staffordshire ST13 7RS
 For technical and non-emergency call:
 phone: 01538 361633.
 For advice on medical emergencies,
 fires, spillages or chemical hazards
 phone: +44(0) 870 190 6777
 Fax: 01538 361622
 E-Mail: mail@f-ball.co.uk

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
ORANGE TERPENES	232-433-8	68647-72-3	10-30%	Xn;R65. Xi;R38. R10,R52/53.

The Full Text for all R-Phrases are Displayed in Section 16

COMPOSITION COMMENTS

Blend of terpene and ester solvents

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

Rinse mouth thoroughly. Drink plenty of water. Do not induce vomiting. Get medical attention if any discomfort continues.

SKIN CONTACT

Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.

EYE CONTACT

Immediately rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use: Small fires: Foam, carbon dioxide or dry powder. Larger fires: Water spray.

SPECIFIC HAZARDS

In case of fire, toxic gases may be formed.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Use protective gloves, goggles and suitable protective clothing.

STYCCOCLEAN C141**ENVIRONMENTAL PRECAUTIONS**

Do not allow to enter drains, sewers or watercourses.

SPILL CLEAN UP METHODS

Small Spillages Absorb with sand or other inert absorbent. Large Spillages Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations. Wear necessary protective equipment.

7 HANDLING AND STORAGE**USAGE PRECAUTIONS**

Provide good ventilation. Do not use in confined spaces without adequate ventilation and/or respirator. Avoid contact with skin and eyes. Do not eat, drink or smoke when using the product. Observe good industrial hygiene practices.

STORAGE PRECAUTIONS

Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in tightly closed original container in a cool, dry well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION**ENGINEERING MEASURES**

Provide adequate ventilation.

RESPIRATORY EQUIPMENT

In case of inadequate ventilation use a respirator suitable for organic vapours. Consult respirator manufacturer for specific advice.

HAND PROTECTION

For prolonged or repeated skin contact use suitable protective gloves. Nitrile gloves to BSEN374 are recommended. Break through times can vary depending on thickness, use and source. Change gloves regularly.

EYE PROTECTION

If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.

OTHER PROTECTION

Wear suitable protective clothing as protection against splashing or contamination.

PERSONAL PROTECTION

Always check applicability with your supplier of protective equipment.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Clear Mobile Liquid		
COLOUR	Colourless		
ODOUR	Characteristic		
RELATIVE DENSITY	1.01-1.03 approx @ 20 degC	VOLATILE BY VOL. (%)	100
pH-VALUE, CONC. SOLUTION	N/A	VISCOSITY	16 approx cps @ 20 degC
FLASH POINT (°C)	64 CC (Closed cup).		

10 STABILITY AND REACTIVITY**STABILITY**

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid exposure to high temperatures or direct sunlight.

HAZARDOUS DECOMPOSITION PRODUCTS

None under normal conditions.

11 TOXICOLOGICAL INFORMATION**INHALATION**

May cause some discomfort in poorly ventilated areas.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged or repeated exposure may cause some irritation of the skin.

EYE CONTACT

May cause temporary eye irritation.

STYCCOCLEAN C141**12 ECOLOGICAL INFORMATION**

ECOTOXICITY

The product should not be allowed to enter drains, sewers or watercourses.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Small quantities may be absorbed in sand and disposed of as low hazard waste. Larger quantities should be disposed of as controlled liquid waste via a licensed waste operator.

WASTE CLASS

Waste Code for product : 160306

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

ADR CLASS

Not classified for transportation. MARINE POLLUTANT No.

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

P13 Safety data sheet available for professional user on request.

16 OTHER INFORMATION

GENERAL INFORMATION

F.Ball and Company Ltd Technical Datasheet.

REVISION COMMENTS

Section 1: Addition of emergency telephone number. Section 8 : Improved PPE information. Section 13: Addition of waste codes.

REVISION DATE

20/6/06

REV. NO./REPL. SDS GENERATED 4

RISK PHRASES IN FULL

R10 Flammable.

R38 Irritating to skin.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.